

## Power It! 6-Outlet Safety Power Strip, 9 ft. (2.74 m) Cord & Clip, Hang Holes, Safety Covers

MODEL NUMBER: TLM609NS



### Highlights

- 6 outlets (including transformer outlets and 4 safety covers)
- 9-ft. (2.74 m) cord
- Cord wrap with hang holes
- Rugged metal case

### Package Includes

- TLM609NS Safety Power Strip
- 4 safety covers
- Owner's manual

### Description

This Tripp Lite power strip is designed to safely distribute power to connected equipment in harsh environments. It provides a convenient source for multiple outlets wherever they're needed. 6 outlets distribute AC power to a wide range of power tools, pumps, air compressors and more. Convenient transformer outlets accommodate multiple transformers without blocking other outlets. A 9-ft. (2.74 m) grounded cord with integrated cord clip reaches distant outlets. A lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Breaker protects against dangerous system overload. 4 safety covers shield unused outlets from debris and accidental contact. A rugged metal case stands up to the harshest environments. Built-in cord wrap with hang holes provides convenient cord management. Integrated keyhole slots on bottom panel provide convenient wall/desk mounting. Its bright yellow color alerts you and others that power cords and tools are in use.

### Features

- 6 outlets distribute AC power to a wide range of power tools, pumps, air compressors and more.
- Convenient transformer outlets
- A 9-ft. (2.74 m) grounded cord with integrated cord clip reaches distant outlets.
- A lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Breaker protects against dangerous system overload.
- 4 safety covers shield unused outlets from debris and accidental contact.
- A rugged metal case stands up to the harshest environments.
- Built-in cord wrap with hang holes provides convenient cord management.
- Integrated keyhole slots on bottom panel provide convenient wall/desk mounting
- Its bright yellow color alerts you and others that power cords and tools are in use.
- OSHA color guidelines, outlined in Document 1910.145, alert users to hazardous situations, which may cause minor or moderate injury. This Tripp Lite product complies with those guidelines.

## Specifications

### OVERVIEW

|   |   |
|---|---|
| UPC Code  | 037332140166  |
| <b>INPUT</b>                                      |   |
| Nominal Input Voltage(s) Supported                | 120V AC   |
| Recommended Electrical Service                    | 120V, 15A   |
| Input Cord Gauge Type                             | 14 gauge; SJT   |
| Voltage Compatibility (VAC)                       | 120   |
| Input Plug Type                                   | NEMA 5-15P  |
| Input Cord Length (ft.)                           | 9   |
| Input Cord Length (m)                             | 2.74  |
| Integrated Cord Clip                              | Yes   |
| <b>OUTPUT</b>                                     |   |
| Frequency Compatibility                           | 60 Hz   |
| Output Receptacles                                | (6) 5-15R   |
| Circuit Breaker (amps)                            | 15  |
| Overload Protection                               | Combo power switch and circuit breaker  |
| Transformer Accommodation                         | (4) Yes   |
| Outlet Orientation                                | Single row  |
| Right-Angle Outlets                               | Yes   |
| Outlet Safety Covers Detail                       | Includes 4 outlet safety covers   |
| <b>PHYSICAL</b>                                   |   |
| Color   | Yellow; Black   |
| Material of Construction                          | Metal   |
| Power Cord Color                                  | Yellow  |
| Housing Color                                     | Yellow; Black   |
| Mounting Holes or Slots                           | Yes   |
| Slot or Hole Mount Measurement (Center to Center) | 209.55mm  |
| Outlets Measurement (Center to Center)            | Distance between standard outlets = 30.40mm; Distance between standard and transformer outlets = 45mm |
| Receptacle Color                                  | Black   |
| Shipping Dimensions (hwd / in.)                   | 15.90 x 2.40 x 7.00   |
| Shipping Dimensions (hwd / cm)                    | 40.39 x 6.10 x 17.78  |
| Shipping Weight (lbs.)                            | 3.00  |
| Shipping Weight (kg)                              | 1.36  |

|                                      |                           |
|--------------------------------------|---------------------------|
| Unit Dimensions (hwd / in.)          | 15.970 x 3.070 x 1.610    |
| Unit Dimensions (hwd / cm)           | 40.56 x 7.80 x 4.09       |
| Unit Weight (lbs.)                   | 3.24                      |
| Unit Weight (kg)                     | 1.47                      |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                           |
| Antimicrobial                        | No                        |
| Built-In Circuit Breaker             | Yes                       |
| <b>WARRANTY &amp; SUPPORT</b>        |                           |
| Product Warranty Period (Worldwide)  | Lifetime limited warranty |