

4-Port USB 2.0 Ultra-Mini Compact Hub with Power Adapter

MODEL NUMBER: **U222-004-R**



Features

- USB2.0 Hub - 4-Port
- Supports all data transfer rates up to 480Mbps
- Compact design with built-in cable (6-in.), perfect for travel
- Plug-and-play/hot-swappable allows you to add or remove a device at any time
- Diagnostic LEDs indicate power and port status
- Bus-powered or self-powered
- All four ports support USB Battery Charging (BC) specification v1.2, providing up to 1.5A for fast charging of mobile devices
- Includes External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, 0.35A; Output: 5V, 2A)
- Includes a 2.6ft USB-A to Micro-B USB 2.0 cable to connect the U222-004-R to the External Power Supply.
- Compatible with all major operating systems

Highlights

- Link multiple USB devices to 1 computer with ultra-compact hub
- Meets or Exceeds USB 2.0 Specifications
- Includes External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, 0.35A; Output: 5V, 2A)
- Includes a 2.6-ft. (0.79 m) USB-A to Micro-B USB 2.0 Cable
- All four ports support USB Battery Charging (BC) specification v1.2, providing up to 1.5A for fast charging of mobile devices

Package Includes

- U222-004-R USB2.0 4-Port Ultra-Mini Hub
- External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, 0.35A; Output: 5V, 2A)
- USB-A to Micro-B USB 2.0 Cable, 2.6-ft. (0.79 m)

Specifications

| OVERVIEW | |
|----------------|----------------------|
| UPC Code | 037332118127 |
| Product Type | Hub |
| Technology | USB 2.0 (High Speed) |
| Host Connector | USB A (MALE) |



| VIDEO | |
|--|--|
| Number of Monitors Supported | 0 |
| Extended Mode | No |
| Mirror Mode | No |
| DATA | |
| Data Ports | (4) USB A (FEMALE) |
| Data Ports Details | (4) USB-A - USB 2.0 |
| INPUT | |
| Voltage Compatibility (VAC) | 100; 110; 120; 125; 127; 200; 208; 220; 230; 240 |
| POWER | |
| AC Adapter | Input: 100-240V, 50/60Hz, 0.35A; Output: 5V, 2A |
| External Power Supply Input Specs (V / Hz / A) | 100-240V / 50/60Hz / 0.35A |
| External Power Supply Output Specs (V / A) | 5V / 2A |
| CHARGING | |
| Charging Ports Details | Any of the 4 ports |
| Charging Ports | (4) USB-A: 5V 1.5A (7.5W) |
| Charging Ports / Amps | (4) 1.5A |
| PHYSICAL | |
| Material of Construction | Plastic |
| Color | Black |
| Cable Length (ft.) | 0.5 |
| Cable Length (m) | 0.15 |
| Shipping Dimensions (hwd / cm) | 2.54 x 10.16 x 12.95 |
| Shipping Dimensions (hwd / in.) | 1.00 x 4.00 x 5.10 |
| Shipping Weight (kg) | 0.14 |
| Shipping Weight (lbs.) | 0.30 |
| CONNECTIONS | |
| Number of Ports | 4 |
| Side A - Connector 1 | USB A (MALE) |
| Side B - Connector 1 | (4) USB A (FEMALE) |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| STANDARDS & COMPLIANCE | |
|-------------------------------------|------------------------------|
| Product Certifications | NOM (Mexico) |
| Product Compliance | RoHS; REACH; WEEE; FCC (USA) |
| WARRANTY | |
| Product Warranty Period (Worldwide) | 3-year limited warranty |

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>