### AMP | Multilock Connector System

TE Internal #: 174932-1

Housing for Male Terminals, Wire-to-Wire, 10 Position, .137 in [3.5


mm] Centerline, Natural (White), Wire & Cable, Multilock

Connector System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Wire

Number of Positions: 10

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 3.5 mm [ .137 in ]

Sealable: No

### **Features**

## **Product Type Features**

Mixed & Hybrid Connector	No
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	10
Number of Rows	2
Body Features	
Primary Product Color	Natural (White)
Contact Features	
Mating Tab Width	1.8 mm[.07 in]
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	

3.5 mm[.137 in]

Centerline (Pitch)



#### **Usage Conditions**

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
Other	
Connector Position Assurance Capable	No

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts












# Also in the Series | Multilock Connector System



Automotive Connector Caps & Covers (17)



Automotive Connector EMC Shielding (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(603)



Automotive Terminals(141)



Connector Seals & Cavity Plugs(2)



Insertion & Extraction Tools(6)



Other Automotive Connector Accessories(14)



PCB Headers & Receptacles(142)

# Customers Also Bought













TE Part #282189-5 SPLASH PROOF CONN. W.S.L.





TE Part #520971-4 ULTRA-POD 250 ASY REC 18-14 AWG TPBR





### **Documents**

## **Product Drawings**

070 MLC W-W CAP HSG 10P

English

#### **CAD Files**

3D PDF

English

**Customer View Model** 

ENG\_CVM\_174932-1\_E.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_174932-1\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_174932-1\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

Japanese