1981921-1 ✓ ACTIVE

Dynamic Series | Dynamic Multiple Enclosure Series

TE Internal #: 1981921-1

Housing, Receptacle, Wire-to-Board, 32 Position, .079 in [2 mm] Centerline, Crimp, 4 Row, Black, Mating Retention, Dynamic

Multiple Enclosure Series

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings > Inside Enclosure: Component To Outside Enclosure, Wire-to-Wire



Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 32

Centerline (Pitch): 2 mm [.079 in]

All Inside Enclosure: Component To Outside Enclosure, Wire-to-Wire (10)

Features

Product Type Features

Mechanical Attachment

Connector Mounting Type

Mating Retention

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	32
Number of Rows	4
Body Features	
Primary Product Color	Black
Termination Features	
Termination Method to Wire & Cable	Crimp

With

Cable Mount (Free-Hanging)



Housing Features

Centerline (Pitch)	2 mm[.079 in]
Dimensions	
Row-to-Row Spacing	3.5 mm[.137 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Circuit Application	Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Dynamic Multiple Enclosure Series







Wire-to-Board Connector Assemblies & Housings(15)

Customers Also Bought



TE Part #1827589-2 DYNAMIC D1000 REC CONT 2L AU 0.38um L/P



TE Part #4-1415053-1 SR4M4024



TE Part #87631-6 10 MODIV HSG DR MRKD .100 POL









Documents

Product Drawings

ME CONN MOLD TYPE REC. HSG 32POS ASSY

English

CAD Files

3D PDF

3D



Customer View Model

ENG_CVM_CVM_1981921-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1981921-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1981921-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

Japanese

1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

MULTIPLE ENCLOSURE 65M D1100 32POS

Japanese

Instruction Sheet (non U.S.)

Japanese