


TE Internal #: 2007799-1 High Speed Backplane Connectors, 144 Position, Mating Alignment, Keyed Mating Alignment Type, 9 Row, 16 Column, PCB Mount Header, Vertical

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Connector System: Board-to-Board

Number of Positions: 144

Row-to-Row Spacing: 1.35 mm [.053 in]

Mating Alignment: With

Mating Alignment Type: Keyed

Features

Product Type Features

| Connector System | Board-to-Board |
|-----------------------------------|-----------------------|
| PCB Connector Assembly Type | PCB Mount Header |
| Shroud Style | Partially Shrouded |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Number of Positions | 144 |
| Number of Rows | 9 |
| Number of Columns | 16 |
| PCB Mount Orientation | Vertical |
| Guide Location | Right |
| Contact Features | |
| Contact Type | Pin |
| Contact Current Rating (Max) | .75 A |
| Mechanical Attachment | |
| | |

C For support call+1 800 522 6752

2007799-1

High Speed Backplane Connectors, 144 Position, Mating Alignment, Keyed Mating Alignment Type, 9 Row, 16 Column, PCB Mount Header, Vertical



| Mating Alignment | With |
|---|---------------------------|
| Mating Alignment Type | Keyed |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Number of Shrouded Sides | 3 |
| Centerline (Pitch) | 1.9 mm[.075 in] |
| Dimensions | |
| Row-to-Row Spacing | 1.35 mm[.053 in] |
| Usage Conditions | |
| Operating Temperature Range | -55 – 85 °C[-67 – 185 °F] |
| Operation/Application | |
| Circuit Application | Signal |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |

| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
|---|---|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

2007799-1

High Speed Backplane Connectors, 144 Position, Mating Alignment, Keyed Mating Alignment Type, 9 Row, 16 Column, PCB Mount Header, Vertical



Compatible Parts



Customers Also Bought





Documents

Product Drawings IMP100S,H,V3P16C,RG,LEW39,4.5

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2007799-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2007799-1_B.3d_igs.zip

English

Customer View Model

C For support call+1 800 522 6752

2007799-1

High Speed Backplane Connectors, 144 Position, Mating Alignment, Keyed Mating Alignment Type, 9 Row, 16 Column, PCB Mount Header, Vertical



ENG_CVM_CVM_2007799-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 7-1773458-1_IMPACT_BACKPLANE_CONNECTOR_SYSTEM_CATALOG

English

Agency Approvals Agency Approval Document

English