2318043-2 - ACTIVE

LUMAWISE | LUMAWISE Endurance N

TE Internal #: 2318043-2 Street Lighting Power Management, 3 Position, LUMAWISE Endurance N

View on TE.com >



Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Power Management



Number of Positions: 3

Sealable: No

Features

Product Type Features

Sealable

No

Configuration Features



Number of Positions

3

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

C For support call+1 800 522 6752


09/27/2023 02:06PM | Page 1

Street Lighting Power Management, 3 Position, LUMAWISE Endurance N



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | LUMAWISE Endurance N










ANSI Street Lighting Accessories(18)	ANSI Street Lighting Base Assemblies (13)	ANSI Street Lighting Receptacles(25)	Street Lighting Open & Shorting Caps (3)




Customers Also Bought

2318043-2

Street Lighting Power Management, 3 Position, LUMAWISE Endurance N





TE Part #4-2328823-1 LUMAWISE ENDURANCE S 80MM DOME, GRAY LOW

TE Part #2318044-1 CABLE ASSEMBLY, EB, SK5 POS EP 2P5

Documents

Product Drawings CABLE ASSEMBLY, EB, 3 POS MINICT

English

Datasheets & Catalog Pages LUMAWISE STREET LIGHT DIMMING AND CONTROL QUICK REFERENCE GUIDE

English

Product Specifications Application Specification

English