

CGS | CGS SM

TE Internal #: 4-1879233-7

8.2 Ω , Wire Wound, Power Resistor, 5 %, 2 Termination, Taped & Reeled, 5 W, ± 200 ppm/°C, Solder, $13.5 \times 7.3 \times 6.8$ mm, CGS SM

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 7 Watt, 0.10-500 Ohm



Resistor Type: Power Resistor

Number of Terminations: 2

Packaging Method: Taped & Reeled
Passive Component Tolerance: 5 %

Element Type: Wire Wound

All SMD Power Resistor: 7 Watt, 0.10-500 Ohm (229)

Features

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Power Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors 1	
-----------------------	--

Electrical Characteristics

Voltage Rating	500 V
Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	8.2 Ω
Power Rating	5 W

Termination Features

Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

Dimensions

Usage Conditions



Temperature Coefficient	±200 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | CGS SM



Battery Holders(1)



Expanded Beam Fiber Optics(9)



LC Connectors(2)



RJ14 Connectors(1)



RJ22 Connectors(1)



RJ25 Connectors(1)



RJ45 Connectors(3)



SC Connectors(2)



Customers Also Bought




TE Part #DT04-3P-EE01 REC, 3P, BLK, N, XCAP



TE Part #4-1879233-9 SMD Power Resistor: 7 Watt, 0.10-500 Ohm



TE Part #HDP24-24-29PE REC, 29P, BLK, E, 12/16/20, P



TE Part #776280-1 8POS,PIN DIA 1.3,HDR ASSY,90DEG, COD 1



TE Part #4-1611022-9 3100-30J17999CJ=CONTACTOR



TE Part #709823-3 XCT 240-14



TE Part #5555163-2 MJ,LPF,R/A,6P/4C,PNL STOPS,BU





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1879233-7_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-1879233-7_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-1879233-7_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1309350_PASSIVE_COMPONENT

English

SMD Moulded Power Resistor - Type SM Series - Tyco Electronics Passives

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English