



AMP

TE Internal #: 556879-3

Rectangular Power Connectors, Housing, Plug, Wire-to-Board, 3 Position, 11.18 mm [.44 in] Centerline, Wire & Cable, UL 94V-0, Power

[View on TE.com >](#)

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **3**

Centerline (Pitch): **11.18 mm [.44 in]**

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	3
Number of Power Positions	3
Number of Signal Positions	0
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

Contact Features

Contact Current Rating (Max)	35 A
------------------------------	------



Contact Retention Within Housing	With
Contact Type	Receptacle

Mechanical Attachment

Mating Alignment Type	Polarization
Mating Retention	With
Mating Alignment	With
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Latch

Housing Features

Centerline (Pitch)	11.18 mm [.44 in]
Housing Color	Black
Housing Material	Polycarbonate

Dimensions

Connector Height	9.4 mm [.37 in]
Product Width	36.58 mm [1.44 in]
Product Length	41.66 mm [1.64 in]
Compatible Insulation Diameter Range	1.02 – 25.91 mm [.04 – 1.02 in]
Wire Size	1600.53 – 12066.13 CMA

Usage Conditions

Operating Temperature Range	0 – 105 °C [32 – 221 °F]
-----------------------------	--------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

CSA Rating	Certified, LR 7189
UL Rating	Recognized
Agency/Standard	CSA, UL
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 556881-3 RCPT ASY,VRT,AMPINRGY WTB,3POS</p>	 <p>TE Part # 556882-3 RCPT ASY,R/A,AMPINRGY WTB,3POS</p>	 <p>TE Part # 91308-1 EXT TOOL AMP INNERGY WIRE BRD</p>
--	--	--

Customers Also Bought



TE Part #1-5747150-6
09 RCPT SP/FMS SCRLK



TE Part #66181-1
III+ SKT,SOLDER,30AU,10AU FLASH,LP



TE Part #282618-1
FFC PIN CONTACT TIN-P



TE Part #5747236-4
15 MSFL PLUG RA 318 (IN,FM)



TE Part #207360-1
PLUG HSG,3 POSN,METRIC



TE Part #1-794613-1
PIN CONT 26-30 15 GOLD L/P



TE Part #280232
250 FASTON POST INS.,REC.,1 POS,
NATURAL



TE Part #53414-1
TERMINAL,PIDG PVF2 R 16-14 4



TE Part #1-1478966-0
SMA B/HD SKT RCPT GSS



TE Part #1-1393030-8
SSRO-240D20=SSA/SSR

Documents

Product Drawings

[PLUG HSG,AMPINNERGY WTB,3 POS](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_556879-3_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_556879-3_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_556879-3_E.3d_stp.zip](#)

English

[3D PDF](#)

English



Customer View Model

[ENG_CVM_556879-3_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_556879-3_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_556879-3_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

Product Environmental Compliance

[MD_556879-3_10112017435_dmtec](#)

English

[MD_556879-3_10112017435_dmtec](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[Agency Approval Document](#)

English